

# Emba-Vento The inflatable air packaging system





## Emba-Vento®

You ship a range of different products all being highly sensitive. This means that operating costs concerning handling and storage space need to be allowed. The products need to be shipped safely from A to B, and at the same time, the costs need to be competitive. With the Emba-Vento® system you eliminate your storage costs as if "into thin air". The final void of protection will be generated during the filling and packing process. Emba-Vento® consists of 98% air.

The highest degree of protection and a quick handling are combined into one product: Emba-Vento<sup>®</sup>!

## The Technique

The extremely quick handling of this system leads to a very short packing time.

The packaging being empty of air guarantees an extremely efficient use of storage space.

Thanks to the one-piece inflatable packing system, Emba-Vento® completely protects your product in all scenarios. The only thing that is required is a supply of compressed air. On request we can supply you with a suitable mini compressor.

Emba-Vento is suitable for a vast variety of different products.



The product is inserted into the pack ...



The Emba-Vento pack is completely inflated ...



Start to fill the pack with air ...



Product is completely protected and ready for displatch!



# Advantages

- High savings on material and handling costs
- Shock-proof
- Made-to-measure for your product (no set-up costs)
- Quick packaging process

# Characteristics

- Complete protection
- One-piece inflatable air packaging system
- Proven standard range available
- Reusable
- Delicate goods from 0,5 to 5 kg

# Benefits

- High savings on space
- Reduction of storage costs by up to 90%
- No additional filling material
- Variety of applications

# $\mathsf{T}_{\mathsf{echnique}}$


- Easiest handling
- Supply port of compressed air is sufficient
- Filling-in by hand or foot-operated switch

# **E**nvironmental

- Optimized transport and storage costs
- Reusable
- Biodegradable on request
- · Environmentally friendly
- · Low volume of waste










# Emba-Vento



# The Standard Program



#### Product data

Overall transport box dimensions 245 x 175 x 30 mm Cardboard envelope with self-adhesive closure Scope of delivery = Air Cushion 1 piece Outer Box 1 piece

Maximum product size: 150 x 70 x 20 mm

Applications: i.e. Smartphones



## Product data

Overall transport box dimensions  $349 \times 154 \times 108$  mm Fefco 0201 slotted-type box with top and bottom flaps Quality: E 1.30 Scope of delivery = Air Cushion 1 piece

Outer Box 1 piece

Maximum product size: 270 x 120 x 60 mm

Applications: i.e. Circuit Boards, Small Appliances



## Product data

Overall transport box dimensions  $330 \times 280 \times 71 \text{ mm}$ Fefco 0427 hinged lid box with accessory compartment Quality: B 1.30

Scope of delivery = Air Cushion 1 piece Outer Box 1 piece

Maximum product size: 270 x 180 x 20 mm

Applications: i.e. Notebooks 10 Inch, Circuit Boards

# The Standard Program



#### Product data

Overall transport box dimensions 349 x 179 x 128 mm Fefco 0201 slotted-type box with top and bottom flaps Quality: E 1.30

Scope of delivery = Air Cushion 1 piece Outer Box 1 piece

Maximum product size: 290 x 150 x 70 mm

Applications: i.e. Circuit Boards, Small Measurement/Control Units



#### Product data

Overall transport box dimensions  $356 \times 226 \times 152 \text{ mm}$  Fefco 0201 slotted-type box with top and bottom flaps Quality: B 1.30

Scope of delivery = Air Cushion 1 piece Outer Box 1 piece

Maximum product size: 310 x 120 x 90 mm

Applications: i.e. small Measurement/Control Units



## Product data

Overall transport box dimensions 465 x 410 x 76 mm Fefco 0427 hinged lid box with accessory compartment Quality: B 1.40

Scope of delivery = Air Cushion 1 piece Outer Box 1 piece

Maximum product size: 390 x 280 x 40 mm

Applications: i.e. Notebooks 15 Inch, Circuit Boards







## **Emba-Protec GmbH & Co. KG**

Phone +49 (0) 57 31 30 888-0 | Fax: +49 (0) 57 31 30 888-30 info@emba-protec.de | www.emba-protec.de